



A P P R O V A L S ®

Certificate of Approval

Certificate No.: SAA-162322-EA

Certificate Holder: Mean Well Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd., Wugu Dist.,
New Taipei City 248,
Taiwan

Class Description: Power Supply or Charger
Product Description: Independent Controlgear
(Independent SELV, Constant Voltage)

Brand Name: MEAN WELL
Model No.: HLG-240x-yz Series
Markings: Input: 100-240Vac 50/60Hz 4.0A
Output: +12Vdc, 16A
ta:55°C, tc:90°C

Standard: AS/NZS IEC 61347.2.13:2013
AS/NZS 61347.1:2002

Conditions: Nil

Approval Mark: SAA-162322-EA or RCM

Date First Registered: 3 November 2016

Date of Expiry: 3 November 2021


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 03-11-16 162322/1



A P P R O V A L S ®

Certificate of Approval

Addendum

Certificate No.: SAA-162322-EA

Date of Issue: 3 November 2016

Class Description: Power Supply or Charger
Product Description: Independent Controlgear
(Independent SELV, Constant Voltage)

General Modification:

'Z' in model number denotes input/output connection type and can be:

'A' for AC wire and output has one set output cord, two openings with plastic objects on the top enclosure and IP65 provided;

'B' for AC wire and output has two set output cords (one is for adjust current load), no opening on the enclosure and IP67 or IP68 provided;

'AB' for AC wire and output has two set output cords (one is for adjust current load), with plastic objects on the top enclosure and IP65 provided; or

blank for AC wire and output has one set output cord, no opening on the enclosure and IP67 or IP68 provided.

Additional Models	Description
HLG-240-12Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +12Vdc, 16A
HLG-240H-12Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +12Vdc, 16A
HLG-240-15Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +15Vdc, 15A
HLG-240H-15Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +15Vdc, 15A
HLG-240-20Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +20Vdc, 12A


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 03-11-16 162322/2



APPROVALS®

Certificate of Approval

Addendum

Certificate No.: SAA-162322-EA

Date of Issue: 3 November 2016

Class Description: Power Supply or Charger
Product Description: Independent Controlgear
(Independent SELV, Constant Voltage)

Additional Models	Description
HLG-240H-20Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +20Vdc, 12A
HLG-240-24Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +24Vdc, 10A
HLG-240H-24Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +24Vdc, 10A
HLG-240-30Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +30Vdc, 8A
HLG-240H-30Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +30Vdc, 8A
HLG-240-36Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +36Vdc, 6.7A
HLG-240H-36Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +36Vdc, 6.7A
HLG-240-42Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +42Vdc, 5.72A
HLG-240H-42Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +42Vdc, 5.72A


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 03-11-16 162322/3



A P P R O V A L S ®

Certificate of Approval

Addendum

Certificate No.: SAA-162322-EA

Date of Issue: 3 November 2016

Class Description: Power Supply or Charger
Product Description: Independent Controlgear
(Independent SELV, Constant Voltage)

Additional Models	Description
HLG-240-48Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +48Vdc, 5A
HLG-240H-48Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +48Vdc, 5A
HLG-240-54Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +54Vdc, 4.45A
HLG-240H-54Z Series	Input: 100-240Vac 50/60Hz 4.0A Output: +54Vdc, 4.45A


For and on Behalf of
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 03-11-16 162322/4